



PRODUCT SPECIFICATION

Category		Paper Type	Printing Colour	Finishing		Quantity (pcs)	Process Day (excluding order day & receive day)
				Compulsory	Optional		
Cardboard Boxes	Basic Boxes 	Gloss Art Card (1 side coated) - 250gsm - 300gsm - 350gsm - 400gsm Boxboard Grey Back - 300gsm - 350gsm - 400gsm - 450gsm	4C + 0	<u>Color Protection Finishing</u> - Gloss Water Based Varnish - UV Varnish - Gloss Lamination - Matte Lamination <u>Others:</u> - Die-cutting - Gluing	- Spot UV (Applicable only with Matte Lamination) - Hot Stamping (Gold and Silver only) - Embossing - Window Patching	Min: 300pcs Max: 100,000pcs	<u>Normal Order With Color Protective Finishing + Die-cutting + Gluing</u> 5 days (300 - 5,000pcs)
	Hanging Boxes 						6 days (5,001 - 10,000pcs)
	Window Boxes 						7 days (10,001 - 100,000pcs)
	Hanging + Window Boxes 						<u>Order with Spot UV +1 day</u> (300 - 5,000pcs)
	Hinged Lid Boxes 						+2 days (5,001 - 10,000pcs)
	Trays / Telescopic Boxes 						+3 day (10,001 - 100,000pcs)
	Gift / Display Box 						<u>Order with Hot Stamping +1 day</u> (300 - 5,000pcs)
Inner Support	Divider 						+2 days (5,001 - 10,000pcs)
	Inner Holding 						+3 days (10,001 - 100,000pcs)
Other	Sleeve 						<u>Order with Window Patching +1 day</u> (300 - 5,000pcs)
	Folder & Envelope 						+2 days (5,001 - 10,000pcs) +3 days (10,001 - 100,000pcs)

Remark:

1. Color Protection Finishing is compulsory to apply on the printed side of the product, and need to select either one of it.
2. Finishing is offered based on different model and structure, which can be found in ordering system, either compulsory or optional.
3. For full details of Finishing selection in each different type of Packaging Box Category, please refer to "List of Packaging Box and Control of Limitation".
4. Pre-fold will not be applied for all type of packaging boxes.
5. To calculate your delivery days, please refer to **Delivery Schedule** at our website.
6. For full details of how to prepare your artwork, please refer to our **Artwork Specification**.



LIST OF PACKAGING BOXES AND CONTROL OF LIMITATION

PRODUCT SPECIFICATION

BASIC BOXES

Model	Diagram	Structure	Slot Lock	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
A001		Reverse Tuck	-	20	20	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
A001X		Reverse Tuck	-	20	20	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
B038		Reverse Tuck	✓	50	20	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
A002X		Straight Tuck	-	20	20	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
A002BX		Straight Tuck	✓	50	20	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
C001A		Semi Auto Bottom Lock	-	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
C001M		Fully Auto Bottom Lock	-	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
B044X		Fully Auto Bottom Lock	✓	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
B048A		Fully Auto Bottom Lock	✓	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓

Remark:

1. Marking " ✓ " is refers to Finishing Process offer to the box.
2. Marking " ✓* " is refers to Spot UV is applicable only with Matte Lamination.

HANGING BOXES

Model	Diagram	Structure	Slot Lock	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
A002FX		Straight Tuck	✓	50	20	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
C001IX		Semi Auto Bottom Lock	-	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
C001QX		Fully Auto Bottom Lock	-	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
B040A		Reverse Tuck	-	50	20	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
B042A		Reverse Tuck	✓	50	20	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓

Remark:

1. Marking " ✓ " is refers to Finishing Process offer to the box.

2. Marking " ✓* " is refers to Spot UV is applicable only with Matte Lamination.

LIST OF PACKAGING BOXES AND CONTROL OF LIMITATION

PRODUCT SPECIFICATION

Page 4 / 8

WINDOW BOXES

Model	Diagram	Structure	Slot Lock	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
A001A		Reverse Tuck	-	65	20	100	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓
				100	20	65										
A002AX		Straight Tuck	-	65	20	100	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓
				100	20	65										
A002CX		Straight Tuck	✓	65	20	100	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓
				100	20	65										
C001B		Semi Auto Bottom Lock	-	65	50	100	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓
				100	50	65										
C001N		Fully Auto Bottom Lock	-	65	50	100	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓
				100	50	65										

HANGING + WINDOW BOXES

Model	Diagram	Structure	Slot Lock	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
B037		Straight Tuck	✓	65	20	100	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓
				100	20	65										
C001JX		Semi Auto Bottom Lock	-	65	50	100	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓
				100	50	65										
C001RX		Fully Auto Bottom Lock	-	65	50	100	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓
				100	50	65										

Remark:

1. Marking " ✓ " is refers to Finishing Process offer to the box.
2. Marking " ✓* " is refers to Spot UV is applicable only with Matte Lamination.

HINGED LID BOXES

Model	Diagram	Structure	Slot Lock	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
E049		Hinged Lid	-	60	60	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
E005X		Hinged Lid	✓	60	60	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
E028A		Hinged Lid	-	60	60	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-

TRAYS / TELESCOPIC BOXES

Model	Diagram	Structure	Slot Lock	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
D030		Tray	-	60	60	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
D007A		Tray	-	60	60	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
D040A		2-piece Telescopic	-	60	60	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-

Remark:

1. Marking "✓" is refers to Finishing Process offer to the box.
2. Marking "✓*" is refers to Spot UV is applicable only with Matte Lamination.



LIST OF PACKAGING BOXES AND CONTROL OF LIMITATION

PRODUCT SPECIFICATION

GIFT / DISPLAY BOXES

Model	Diagram	Structure	Slot Lock	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
K003		Semi Auto Bottom Lock	✓	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
K006		Semi Auto Bottom Lock	✓	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
K024		Semi Auto Bottom Lock	-	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
L044		Self Lock	-	50	-	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
L082		Self Lock	-	50	-	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
B052A		Self Lock	-	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
Z039A		Self Lock	-	60	60	60	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
K016X		Semi Auto Bottom Lock	-	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓
L069A		Self Lock	-	50	50	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	-

Remark:

1. Marking "✓" is refers to Finishing Process offer to the box.
2. Marking "✓*" is refers to Spot UV is applicable only with Matte Lamination.



LIST OF PACKAGING BOXES AND CONTROL OF LIMITATION

PRODUCT SPECIFICATION

DIVIDER

Model	Diagram	Structure	Notch	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
0930		Divider	1	50	-	10	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
M013		Divider	2	50	-	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
M014		Divider	3	50	-	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
M015		Divider	4	50	-	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
M016		Divider	5	50	-	20	✓	✓	✓	✓	✓*	✓	✓	-	✓	-

INNER HOLDING

Model	Diagram	Structure	Hole	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
M061		Rectangle Inner Holding	1	20	20	10	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
M062		Rectangle Inner Holding	2	20	20	10	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
M063		Rectangle Inner Holding	3	20	20	10	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
M064		Rectangle Inner Holding	4	20	20	10	✓	✓	✓	✓	✓*	✓	✓	-	✓	-
D052A		Rectangle Inner Holding	1	50	50	10	✓	✓	✓	✓	✓*	✓	✓	-	✓	-

Remark:

1. Marking "✓" is refers to Finishing Process offer to the box.
2. Marking "✓*" is refers to Spot UV is applicable only with Matte Lamination.



LIST OF PACKAGING BOXES AND CONTROL OF LIMITATION

Page 8 / 8

PRODUCT SPECIFICATION

SLEEVE

Model	Diagram	Structure	Slot Lock	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
J023A		Sleeve	-	30	30	50	✓	✓	✓	✓	✓*	✓	✓	-	✓	✓

FOLDER & ENVELOPE

Model	Diagram	Structure	Slot Lock	Minimum Dimension			Color Protection Finishing				Artistic Finishing				Others	
				L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
G012		Folder & Envelope	-	100	50	-	✓	✓	✓	✓	✓*	✓	✓	-	✓	-

Remark:

1. Marking "✓" is refers to Finishing Process offer to the box.
2. Marking "✓*" is refers to Spot UV is applicable only with Matte Lamination.