## LITHO-OFFSET PACKAGING PRODUCT SPECIFICATION

	Catagony	Paper Type	Printing	Finis	hing	Quantity	Process Day
	Category	Paper Type	Colour	Compulsory	Optional	(pcs)	(excluding order day & receive day)
Cardboard Boxes	Hanging Boxes  Window Boxes  Hanging + Window Boxes  Hinged Lid Boxes  Trays / Telescopic Boxes  Gift / Display Box	Gloss Art Card (1 side coated) - 250gsm - 300gsm - 350gsm - 400gsm  Boxboard Grey Back - 300gsm - 350gsm - 400gsm - 450gsm	4C + 0	Color Protection Finishing Gloss Water Based Varnish UV Varnish Gloss Lamination Matte Lamination Others: Die-cutting Gluing	- Spot UV (Applicable only with Matte Lamination) - Hot Stamping (Gold and Silver only) - Embossing - Window Patching	Min: 300pcs Max: 100,000pcs	Normal Order With Color Protective Finishing + Die-cutting + Gluing 5 days (300 - 5,000pcs)  6 days (5,001 - 10,000pcs)  7 days (10,001 - 100,000pcs)  Order with Spot UV +1 day (300 - 5,000pcs)  +2 days (5,001 - 10,000pcs)  +3 day (10,001 - 100,000pcs)  Order with Hot Stamping +1 day (300 - 5,000pcs)  +2 days (5,001 - 10,000pcs)  +3 days (5,001 - 10,000pcs)
Other Inner Support	Divider  Inner Holding  Sleeve  Folder & Envelope						Order with Embossing +1 day (300 - 5,000pcs) +2 days (5,001 - 10,000pcs) +3 days (10,001 - 100,000pcs) Order with Window Patching +1 day (300 - 5,000pcs)
							+2 days (5,001 - 10,000pcs) +3 days (10,001 - 100,000pcs)

- 1. Color Protection Finishing is compulsory to apply on the printed side of the product, and need to select either one of it.

  2. Finishing is offerred based on different model and structure, which can be found in ordering system, either compulsory or optional.

  3. For full details of Finishing selection in each different type of Packaging Box Category, please refer to "List of Packaging Box and Control of Limitation".

  4. Pre-fold will not be applied for all type of packaging boxes.

  5. To calculate your delivery days, please refer to Delivery Schedule at our website.

  6. For full details of how to prepare your artwork, please refer to our Artwork Specification.

(10,001 - 100,000pcs)



## PRODUCT SPECIFICATION

### **BASIC BOXES**

Model	Diagram	Structure	Cict	Minimu	ım Dim	ension		Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ners
Woder	Diagram	Otractaro	Lock	L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
A001		Reverse Tuck	-	20	20	50			$\sqrt{}$	$\sqrt{}$	<b>√</b> *		$\sqrt{}$	-		$\sqrt{}$
A001X		Reverse Tuck	-	20	20	50	V	V	V	V	√ <b>*</b>	V	V	-	V	V
B038		Reverse Tuck		50	20	50	V	V	V	V	√*	$\sqrt{}$	$\sqrt{}$	-	V	V
A002X	4	Straight Tuck	-	20	20	50	V	V	V	V	√*	V	V	-	V	V
A002BX		Straight Tuck		50	20	50	V	V	V	V	√ <b>*</b>	V	V	-	V	V
C001A		Semi Auto Bottom Lock	-	50	50	50	V	V	V	V	√*	V	V	-	V	V
C001AA		Semi Auto Bottom Lock	-	50	50	50	<b>√</b>	V	V	V	√*	V	$\sqrt{}$	-	V	V
C001AB		Semi Auto Bottom Lock	_	50	50	50				V	√ <b>*</b>	$\sqrt{}$	$\sqrt{}$	-	$\sqrt{}$	V
C001AD		Fully Auto Bottom Lock	_	50	50	50		$\sqrt{}$	$\sqrt{}$	V	√ <b>*</b>	$\sqrt{}$	$\sqrt{}$	-	$\sqrt{}$	
C001M		Fully Auto Bottom Lock	-	50	50	50				V	<b>√</b> *	$\sqrt{}$	$\sqrt{}$	-	$\sqrt{}$	
B044X		Fully Auto Bottom Lock		50	50	50			$\sqrt{}$	V	<b>√</b> *		$\sqrt{}$	-	$\sqrt{}$	
B048A		Fully Auto Bottom Lock		50	50	50					<b>*</b>		$\sqrt{}$	-		

<sup>1.</sup> Marking "  $\sqrt{\ }$ " is refers to Finishing Process offer to the box. 2. Marking "  $\sqrt{\ }$ " is refers to Spot UV is applicable only with Matte Lamination.



## PRODUCT SPECIFICATION

### **HANGING BOXES**

Model	Diagram	Structure	Slot	Minimu	ım Dim	ension		Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ners
WIOGEI	Diagram	Otractare	Lock	L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
A002FX		Straight Tuck	$\sqrt{}$	50	20	50				$\sqrt{}$	<b>*</b>			-		
C001IX		Semi Auto Bottom Lock	-	50	50	50	V	V	V	$\sqrt{}$	√ <b>*</b>	V	V	-	V	V
C001QX	FH in	Fully Auto Bottom Lock	-	50	50	50	V	V	V	V	√ <b>*</b>	V	V	-	V	V
B040A		Reverse Tuck	-	50	20	50	V	V	V	V	√ <b>*</b>	V	V	-	V	V
B042A		Reverse Tuck		50	20	50	V	V	V	V	√ <b>*</b>	V	V	-	V	V

#### Remark:

- 1. Marking " $\sqrt{\ }$ " is refers to Finishing Process offer to the box. 2. Marking " $\sqrt{\ }$ " is refers to Spot UV is applicable only with Matte Lamination.



### PRODUCT SPECIFICATION

### **WINDOW BOXES**

Model	Diagram	Structure	Slot	Minimu	m Dim	ension		Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ners
WIOGEI	Diagram	Otractare	Lock	L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
A001A	61	Reverse		65	20	100					<b>*</b>					
AUUTA		Tuck	_	100	20	65	V	V	V	V		V	<b>√</b>	V	V	V
A002AX		Straight		65	20	100		-/			<b>*</b>				-/	
AUUZAX	H- U	Tuck	_	100	20	65	V	V	V	V		V	V	V	V	V
A002CX		Straight Tuck	1	65	20	100					<b>*</b>				-/	
AUUZUA	9. 1	Tuck	V	100	20	65	V	V	V	V	V	V	V	V	V	V
C001AC		Semi Auto		65	50	100					<b>*</b>				_ /	
COUTAC		Bottom Lock	_	100	50	65	V	V	V	V	V	V	<b>√</b>	V	V	V
C001AE		Fully Auto		65	50	100		-/			<b>*</b>			-/		-/
COUTAL		Bottom Lock	_	100	50	65	V	V	V	V	V	V	V	V	V	V
C001B		Semi Auto		65	50	100					<b>*</b>					
COULD		Bottom Lock	-	100	50	65	V	V	V	V	V "	V	V	V	V	V
C001N		Fully Auto		65	50	100					<b>*</b>					
COUTIN	C001N Botto	Bottom Lock	-	100	50	65	V	V	V	V	<b>V</b>	V	<b>√</b>	V	V	V

### **HANGING + WINDOW BOXES**

			<b>0.</b> 4	Minimu	ım Dim	ension		Color Protec	tion Finishir	na		Artistic	Finishing		Oth	ners
Model	Diagram	Structure	Slot Lock	L	W	D			UV Varnish		Spot UV		Embossing	Window.P		
D007	B037 St	Straight	/	65	20	100	/	/	/	/	/*	/	/	/	/	
B037	3037	Tuck	V	100	20	65		V	V	V	V "	V	V	V	V	
C004 IV	Ser	Semi Auto		65	50	100	/	/	/	/	_ /*	/	/	/	/	/
C001JX	- hkzz	Bottom Lock	-	100	50	65		V	V	V	V "	V	V	V	V	
C001RX	4. <b>1</b>	Fully Auto		65	50	100	/	/	/	/	/*	/	/	/	/	/
COUTRX	tal 20	Bottom Lock	_	100	50	65		V			√ <b>"</b>		$\bigvee$			

- 1. Marking "  $\sqrt{}$  " is refers to Finishing Process offer to the box. 2. Marking "  $\sqrt{}$  " is refers to Spot UV is applicable only with Matte Lamination.



## PRODUCT SPECIFICATION

### **HINGED LID BOXES**

Model	Diagram	Structure	Side	Minimu	ım Dim	ension	(	Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ners
Wodel	214914111		Lock	L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
E049		Hinged Lid	-	60	60	20			$\sqrt{}$	$\sqrt{}$	<b>*</b>			_	$\sqrt{}$	-
E005X		Hinged Lid		60	60	20			$\sqrt{}$	$\sqrt{}$	√ <b>*</b>			-	$\sqrt{}$	-
E028A		Hinged Lid	-	60	60	20	V	V	V	$\sqrt{}$	√ <b>*</b>	V	V	-	$\sqrt{}$	_

#### TRAYS / TELESCOPIC BOXES

Model	Diagram	Structure	SIUL	Minimu	m Dime	ension		Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ers
Woder	214914111		Lock	L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
D030		Tray	-	60	60	20				$\sqrt{}$	<b>*</b>			-	$\sqrt{}$	-
D007A		Tray	-	60	60	20	V	V	V	V	√ <b>*</b>	V	V	-	V	-
D040A		2-piece Telescopic	-	60	60	20	V	V	V	V	√ <b>*</b>	V	V	-	V	-

#### Remark

- 1. Marking "  $\sqrt{\ }$  " is refers to Finishing Process offer to the box.
- 2. Marking " \sqrt{\*} " is refers to Spot UV is applicable only with Matte Lamination.



## PRODUCT SPECIFICATION

### **GIFT / DISPLAY BOXES**

Model	Diagram	Structure	Slot	Minimu	ım Dim	ension	(	Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ners
WIOGEI	Diagram	Otractare	Lock	L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
K003		Semi Auto Bottom Lock		50	50	50				V	<b>√</b> *		$\sqrt{}$	-		
K006		Semi Auto Bottom Lock	V	50	50	50		$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	√ <b>*</b>		$\sqrt{}$	-		
K024		Semi Auto Bottom Lock	-	50	50	50	V		V	V	√ <b>*</b>	$\sqrt{}$	V	-	V	V
L044		Self Lock	_	50	-	20		$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	√ <b>*</b>	$\sqrt{}$	$\sqrt{}$	-		-
L082		Self Lock	_	50	-	20	V	V	V	V	√ <b>*</b>		V	-	V	-
B052A		Self Lock	-	50	50	50	V	V	V	V	√ <b>*</b>	$\sqrt{}$	V	-	V	-
Z039A		Self Lock	_	60	60	60		$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	<b>√</b> *		$\sqrt{}$	-		-
K016X		Semi Auto Bottom Lock	_	50	50	50	V	V	$\sqrt{}$	V	√*	V	V	-	V	V
L069A		Self Lock	-	50	50	50	V	V	V	V	√*		V	_	V	-

<sup>1.</sup> Marking " $\sqrt{}$ " is refers to Finishing Process offer to the box. 2. Marking " $\sqrt{}$ " is refers to Spot UV is applicable only with Matte Lamination.



## PRODUCT SPECIFICATION

### **DIVIDER**

Model	Diagram	Structure	Notch	Minimu	ım Dim	ension	(	Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ners
Wiodei	Diagram	on dotalo	1101011	L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
0930		Divider	1	50	-	10				$\sqrt{}$	<b>*</b>		$\sqrt{}$	-	V	-
M013		Divider	2	50	-	20	V	V	V	V	√ <b>*</b>	V	V	-	V	-
M014	m	Divider	3	50	-	20	V	V	V	V	√ <b>*</b>	V	V	-	V	-
M015		Divider	4	50	-	20	V	V	V	V	√ <b>*</b>	V	V	-	V	-
M016	mm <b>\</b>	Divider	5	50	-	20	V	V	V	V	√ <b>*</b>	$\sqrt{}$	V	-	V	-

### **INNER HOLDING**

Model	Diagram	Structure	Hole	Minimu	ım Dim	ension	(	Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ners
WIOGEI	Diagram	Otractare	11010	L	W	D	Gloss Lam.	Matte Lam.	UV Varnish	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
M061		Rectangle Inner Holding	1	20	20	10				$\sqrt{}$	√ <b>*</b>			-		-
M062		Rectangle Inner Holding	2	20	20	10	V	V	V	V	√ <b>*</b>	V	V	-	V	-
M063		Rectangle Inner Holding	3	20	20	10	V	V	V	V	√ <b>*</b>	V	V	-	V	_
M064		Rectangle Inner Holding	4	20	20	10	V	V	V	V	√ <b>*</b>	$\sqrt{}$	V	-	V	-
D052A		Rectangle Inner Holding	1	50	50	10	V	V	V	V	√*		V	-	V	-

- 1. Marking " $\sqrt{}$ " is refers to Finishing Process offer to the box. 2. Marking " $\sqrt{}$ " is refers to Spot UV is applicable only with Matte Lamination.



## PRODUCT SPECIFICATION

### **SLEEVE**

Model	Diagram	Structure	Slot	Minimu	ım Dim	ension		Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ers
modor	wiodei Diagran		Lock	L	W	D	Gloss Lam.	Matte Lam.	<b>UV Varnish</b>	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
J023A		Sleeve	-	30	30	50		$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	√ <b>*</b>			-	$\sqrt{}$	$\sqrt{}$

#### **FOLDER & ENVELOPE**

Model	Diagram	Structure	Slot	Minimu	ım Dim	ension	(	Color Protec	tion Finishir	ng		Artistic	Finishing		Oth	ers
Model	g		Lock	L	W	D	Gloss Lam.	Matte Lam.	<b>UV Varnish</b>	Gloss W/B	Spot UV	Hot Stamp	Embossing	Window.P	Die-Cut	Gluing
G012		Folder & Envelope	-	100	50	-	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	√ <b>*</b>			-	$\sqrt{}$	-

#### Remark:

- 1. Marking " $\sqrt{}$ " is refers to Finishing Process offer to the box. 2. Marking " $\sqrt{}$ " is refers to Spot UV is applicable only with Matte Lamination.